EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------------|------|--|---------------------------------|---------------------|---------|---------------------|
| S1 | 723 | (scanner (image adj read \$3) fax facsimile copier) and (preset (pre adj3 set \$3) factory manufacturer) with (calibrat\$3 compensat \$3) and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 12:12 |
| S2 | 30 | (scanner (image adj read \$3) fax facsimile copier) with (preset (pre adj3 set \$3) factory manufacturer) near5 (calibrat\$3 compensat\$3) and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/07/18 11:14 |
| S3 | 21 | (scanner (image adj read \$3) fax facsimile copier) same (preset (pre adj3 set \$3) factory manufacturer) with ((calibrat\$3 compensat\$3) with image) and @ad<*20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/07/18 |
| S4 | 30 | (scanner (image adj read \$3) fax facsimile copier) with (preset (pre adj3 set \$3) factory manufacturer) near5 (calibrat\$3 compensat\$3) and @adc="20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/07/18 11:15 |
| S 5 | 14 | S3 not S4 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/07/18 11:15 |
| S6 | 1313 | (scanner (image adj read \$3) fax facsimile copier) and (factory manufactur \$3) with (calibrat\$3 compensat\$3) and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 12:13 |
| S7 | 723 | (scanner (image adj read \$3) fax facsimile copier) and (factory manufactur \$3) with (calibrat\$3) and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 12:19 |

| S 8 | 5 | (adf (automatic adj document adj feeder)) and (scan\$4 (image adj read\$3) fax facsimile copier) and (factory manufactur\$3) with (calibrat\$3) and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/03 10:02 |
|------------|-------|---|---------------------------------|----|-------|---------------------|
| S9 | 130 | (scanner (image adj read \$3) fax facsimile copier) and (factory manufactur \$3) with (calibrat\$3) with (memory stor\$3 buffer) and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 14:27 |
| S10 | 104 | (scanner (image adj read \$3) fax facsimile copier) and (factory manufactur \$3) near5 (calibrat\$3) with (memory stor\$3 buffer) and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 12:20 |
| S11 | 65 | (scanner (image adj read \$3) fax facsimile copier) and (factory manufactur \$3) near5 (calibrat\$3) near5 (memory stor\$3 buffer) and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 13:48 |
| S12 | 103 | (scanner (image adj read \$3) fax facsimile) and (factory manufactur\$3) near5 (calibrat\$3) with (memory stor\$3 buffer) and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 13:49 |
| S13 | 39 | S12 not S11 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 14:11 |
| S14 | 20654 | (scanner (reading adj device) and ((pre adj2 scan\$4) prescanning ((rough initial preliminary) adj scan\$4))) with (memory stor\$3 buffer FAM) and @ad~"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON ON | 2007/10/02 14:18 |

| S15 | 417 | (scanner (reading ad) device) and ((pre ad)2 scan\$4) prescanning ((rough initial preliminary) adj scan\$4)) near5 (memory stor\$3 buffer FAM) with (calibrat\$3 correct\$3) and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 14:20 |
|-----|-----|---|---------------------------------|----|----|---------------------|
| S16 | 0 | (scanner (reading adj device)) and (((pre adj2 scan\$4) prescanning) near5 (memory stor\$3 buffer RAM)) with (calibrat \$3 adj parameter) and @ad<"20010411" | US PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 14:23 |
| S17 | 0 | (scanner (reading adj device)) and (((pre adj2 scan\$4) prescanning) with (memory stor\$3 buffer FAM)) with (calibrat\$3 adj (parameter data)) and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 14:23 |
| S18 | 14 | (scanner (image adj read \$3) fax facsimile copier) and (factory manufactur \$3) with (calibrat\$3 adj (parameter factor ratio)) with (memory stor\$3 buffer) and @ad<"20010411" | US PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 14:30 |
| S19 | 8 | ((preset (pre adj2 (set determined calculated identified))) near7 calibration) with (memory stor\$3 buffer RAM ROM) with image | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 14:36 |
| S20 | 1 | "6172772".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/02 14:36 |
| S21 | 9 | ("5285293" "5309205" "5583645" "5604601" "5608538").PN. OR ("6172772").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/03 10:29 |
| S22 | 1 | "5278674".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/03 08:36 |
| S23 | 1 | "5939697".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2007/10/03 10:02 |

| S25 | 0 | ((determin\$4 judg\$3 check \$3 realiz\$3) near5 calibration near3 parameter) with (memory stor\$3 buffer ram) and @ack "20010411" and "358"/\$.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/04 08:54 |
|-----|----|---|------------------------------|----|----|---------------------|
| S26 | 12 | ((determin\$4 judg\$3 check \$3 realiz\$3) near5 calibration near3 parameter) with (memory stor\$3 buffer ram) and @ad~"20010411" and (scanner (image adj read \$3)) | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/03 10:34 |
| S27 | 4 | ("5335290" "5594556" "5778103" "5854853"). PN. OR ("6624912"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/03 12:50 |
| S28 | 12 | ("4292621" "4724330" "4985930" "5289208" "5297017" "5648801" "5732162" "6039427"). PN. OR ("6295386"). URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/03 13:15 |
| S29 | 98 | ((determin\$4 judg\$3 check \$3 realiz\$3) near5 calibration near3 parameter) with (memory stor\$3 buffer ram) and @ad<"20010411" | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/04 08:35 |
| S30 | 0 | ((determin\$4 judg\$3 check \$3 realiz\$3) with (calibration adj parameter)) with (memory stor\$3 buffer ram) and @ad<"20010411" and "358"/\$.cds. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/04 08:55 |
| S31 | 6 | scanner and ((determin\$4 judg\$3 check\$3 realiz\$3) with (calibration adj parameter)) with (memory stor\$3 buffer ram) and @ad<"20010411" | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/04 09:01 |
| S32 | 80 | scanner and (add\$3 with (calibration correction) near3 table) and @ad<"20010411" | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/04 09:06 |

| S33 | 22 | scanner and (check\$3 with (calibration correction) near3 table) and @ad<"20010411" | US-PGPUB; USPAT; USOCR | OR | ON | 2007/10/04 09:06 |
|-----|------|--|---------------------------------|----|----|---------------------|
| S34 | 1819 | (determin\$4 judg\$3) near5 (calibration shading) near3 (exist\$3 stor\$3) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 09:17 |
| S35 | 1111 | (determin\$4 judg\$3) adj5 (calibration shading) near3 (exist\$3 stor\$3) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 09:17 |
| S36 | 86 | (determin\$4 judg\$3) adj5 (calibration shading) near3 (exist\$3) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 09:18 |
| S37 | 30 | (determin\$4 judg\$3) adj5 (calibration shading) near3 (exist\$3) and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 09:20 |
| S38 | 48 | (determin\$4 judg\$3) adj5 (calibration shading) near3 (exist\$3 stor\$3) and "358"/\$ and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 09:25 |
| S39 | 44 | S38 not S37 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 09:26 |
| S40 | 0 | (determin\$4 judg\$3) adj5 (calibration shading) near3 "not" near3 (exist\$3 stor\$3) and "358"/\$ and @ad< "20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 09:59 |
| S41 | 0 | (determin\$4 judg\$3) adj5 (calibration shading) near3 "not" near3 (exist\$3 stor\$3) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 10:00 |
| S42 | 0 | (determin\$4 judg\$3) near5 (calibration shading) near3 "not" near3 (exist\$3 stor\$3) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 10:01 |

| S43 | 23 | ("3952144" "4216503" "4404597" "4555732" "4736245" "4926041" "4980759" "5122871" "5170267" "5229387" "5495329" "55194411" "5764386" "5821993" "5864410" "6038038" "6297873" "6327047" "6512845" "6529292"). PN. OR ("6900448"). | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/05/23 10:22 |
|-----|----|---|---------------------------------|----|-----|---------------------|
| S44 | 58 | (determin\$4 judg\$3) adj5 (calibration shading) near3 (exist\$3 stor\$3 available) and "358"/\$ and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 10:30 |
| S45 | 10 | S44 not S38 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 10:31 |
| S46 | 53 | (determin\$4 judg\$3 check \$3 evaluat\$3) adj5 (calibration shading) near3 (exist\$3 stor\$3) and "358"/\$ and @ad<"20010411" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 10:35 |
| S47 | 5 | S46 not S38 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/05/23 10:35 |
| S48 | 20 | ("4381553" "5048078" "5220674" "5305057" "5333069" "5471313" "5495542" "5559933" "5566372" "5572632" "557990" "5611046" "6712930" "5739841" "576483" "5818501" "5862326" "5872895" "9923834" "5933676"). PN. OR ("7099025"). | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/05/23 10:51 |
| S49 | 1 | ((scanning method) and capturing and (scanning adj object) and (calibration adj parameter) and completing and repeating). clm. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2008/10/01 08:36 |

^{10/1/2008 8:37:16} AM

C:\ Documents and Settings\ hsafaipour\ My Documents\ EAST\ Workspaces\ 09832098.wsp